

Safety Data Sheet
according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

1 Identification

- **Product identifier:** BG-16-A
- **Trade name:** CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)
- **Item number(s):** BG-16-A
- **SDS Number:** 161
- **UPC bar code(s):** 699913-125650
- **Application of the substance / the mixture** SPRAY GALV
- **Manufacturer/Supplier:**
WWW.CANTESCO.COM

- USA ADDRESS:
KEMPER SYSTEM AMERICA, INC.
1200 NORTH AMERICA DR,
WEST SENECA, NY 14224
PH (716) 558-2971

- CANADIAN ADDRESS:
ASTARAS CANADA, INC.
4-7075 EDWARDS BLVD
MISSISSAUGA, ONTARIO, L5S 1Z2
PH (905) 624-5463

- **Information department:**
Tel: (716) 558-2971 ext. 228
www.cantesco.com
- **Emergency telephone number:**
ChemTrec (800) 424-9300 / 1-(703)-741-5970
Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard identification

· **Classification of the substance or mixture:**



GHS02 Flame

Flammable Aerosols - Category 1

H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.



GHS04 Gas cylinder

Gases Under Pressure - Compressed Gas

H280 Contains gas under pressure; may explode if heated.



GHS08 Health hazard

Carcinogenicity – Category 2

H351 Suspected of causing cancer.



GHS07

Eye Irritation - Category 2A

H319 Causes serious eye irritation.

(Contd. on page 2)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 1)

Skin Sensitizer - Category 1	H317	May cause an allergic skin reaction.
Specific Target Organ Toxicity - Single Exposure - Category 3	H336	May cause drowsiness or dizziness.

· **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Signal word:** Danger

· **Hazard-determining components of labeling:**

heptane

butanone

· **Hazard statements:**

H222-H229 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

· **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P233 Keep container tightly closed.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P403 Store in a well-ventilated place.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Information pertaining to particular dangers for man and environment:**

· **NFPA ratings (scale 0 - 4):**



Health = 2

Fire = 4

Reactivity = 0

CA

(Contd. on page 3)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 2)

3 Composition/Information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
68476-86-8	Petroleum gases, liquefied, sweetened	15-40% w/w *
78-93-3	butanone	10-30% w/w *
142-82-5	heptane	10-30% w/w *
8052-41-3	Stoddard solvent	≤10% w/w
7429-90-5	aluminium powder (stabilised)	1-5% w/w *
64742-48-9	Naphtha (petroleum), hydrotreated heavy	1-5% w/w *

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- **General information:** Symptoms of poisoning may even occur after several hours.
- **After inhalation:**
Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
- **After skin contact:**
Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or a rash occurs: Get medical advice/attention.
- **After eye contact:**
Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.
- **After swallowing:** Do not induce vomiting, Immediately call a poison center/ doctor.
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-fighting measures

- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

(Contd. on page 4)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 3)

Do not flush with water or aqueous cleansing agents

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights.

Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

· **Storage**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

78-93-3 butanone

EL (Canada) Short-term value: 100 ppm

Long-term value: 50 ppm

EV (Canada) Short-term value: 885 mg/m³, 300 ppm

Long-term value: 590 mg/m³, 200 ppm

PEL (USA) Long-term value: 590 mg/m³, 200 ppm

REL (USA) Short-term value: 885 mg/m³, 300 ppm

Long-term value: 590 mg/m³, 200 ppm

TLV (USA) Short-term value: 885 mg/m³, 300 ppm

Long-term value: 590 mg/m³, 200 ppm

BEI

142-82-5 heptane

EL (Canada) Short-term value: 500 ppm

Long-term value: 400 ppm

(Contd. on page 5)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 4)

EV (Canada)	Short-term value: 2.045 mg/m ³ , 500 ppm Long-term value: 1.635 mg/m ³ , 400 ppm
PEL (USA)	Long-term value: 2000 mg/m ³ , 500 ppm
REL (USA)	Long-term value: 350 mg/m ³ , 85 ppm Ceiling limit value: 1800* mg/m ³ , 440* ppm *15-min
TLV (USA)	Short-term value: 2050 mg/m ³ , 500 ppm Long-term value: 1640 mg/m ³ , 400 ppm

8052-41-3 Stoddard solvent

EL (Canada)	Short-term value: 580 mg/m ³ Long-term value: 290 mg/m ³
PEL (USA)	Long-term value: 2900 mg/m ³ , 500 ppm
REL (USA)	Long-term value: 350 mg/m ³ Ceiling limit value: 1800* mg/m ³ *15-min
TLV (USA)	Long-term value: 525 mg/m ³ , 100 ppm

Ingredients with biological limit values:
78-93-3 butanone

BEI (USA)	2 mg/L Medium: urine Time: end of shift Parameter: MEK
-----------	---

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Personal protective equipment**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

· **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves:**

- Butyl rubber, BR
- Nitrile rubber, NBR

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Form:** Liquid Under Pressure

(Contd. on page 6)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 5)

· Color:	Silver-colored
· Odor:	Solvent-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>79 °C
· Flash point:	-26 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	215 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits	
Lower:	1.1 Vol %
Upper:	11.5 Vol %
· Vapor pressure at 20 °C:	105 hPa
· Density at 20 °C:	0.823 g/cm ³
· Relative density:	Not determined.
· Vapor density at 20 °C:	3.500 g/cm ³
· Evaporation rate:	Not applicable.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC content:	60.0 % 493.8 g/l / 4.12 lb/gl
· Other information	No further relevant information available.

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** Reacts with oxidizing agents.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 7)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 6)

11 Toxicological information

· **Information on toxicological effects:**

· **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral	LD50	>5000 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>3000 mg/kg (rab)
--------	------	-------------------

· **Specific symptoms in biological assay:** No further relevant information available.

· **Primary irritant effect**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

100-41-4	ethylbenzene	2B
----------	--------------	----

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

12 Ecological information

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Very toxic for fish

· **Additional ecological information**

· **General notes:**

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Other adverse effects:** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

-CA-

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 7)

· **Uncleaned packagings**

· **Recommendation:**

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

14 Transport information

· **UN-Number**

· **DOT/TDG, ADR, IMDG, IATA** UN1950

· **UN proper shipping name**

· **DOT/TDG** Aerosols
 · **ADR** 1950 Aerosols
 · **IMDG, IATA** AEROSOLS

· **Transport hazard class(es)**

· **DOT/TDG (Transport dangerous goods):**



· **Class** 2.1
 · **Label** 2.1

· **ADR**



· **Class** 2.1
 · **Label** 2.1

· **IMDG, IATA**



· **Class** 2.1
 · **Label** 2.1

· **Packing group** N/Ap

· **Environmental hazards:**

· **Marine pollutant:** Yes
 · **Special marking (ADR):** Symbol (fish and tree)

· **Special precautions for user:** Not applicable.

· **Hazard identification number (Kemler code):** 423

· **EMS Number:** F-D,S-U

(Contd. on page 9)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 8)

<ul style="list-style-type: none"> · Stowage Code · Segregation Code 	<p>SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.</p> <p>SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: 	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: · DOT/TDG · Quantity limitations · Remarks: 	<p>On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg</p> <p>This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.</p>
<ul style="list-style-type: none"> · ADR · Excepted quantities (EQ) · Remarks: 	<p>Code: E0 Not permitted as Excepted Quantity</p> <p>This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.</p>
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) · Remarks: 	<p>1L Code: E0 Not permitted as Excepted Quantity</p> <p>This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.</p>
<ul style="list-style-type: none"> · IATA · Remarks: 	<p>This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	UN 1950 AEROSOLS, 2.1

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

(Contd. on page 10)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 9)

· **Section 313 (Specific toxic chemical listings):**

78-93-3	butanone
100-41-4	ethylbenzene

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed or exempted

· **Proposition 65**

· **Chemicals known to cause cancer:**

100-41-4	ethylbenzene
----------	--------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Canadian substance listings**

· **Canadian Domestic Substances List (DSL/NDSL):**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%):**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%):**

78-93-3	butanone
142-82-5	heptane
8052-41-3	Stoddard solvent

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS04 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

heptane
butanone

· **Hazard statements**

H222-H229 Extremely flammable aerosol.
H280 Contains gas under pressure; may explode if heated.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H336 May cause drowsiness or dizziness.

16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary

(Contd. on page 11)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 05/12/2021

Reviewed on 04/09/2021

Trade name: CANTESCO® PREMIUM ZINC RICH SPRAY GALV (BRILLIANT FINISH)

(Contd. of page 10)

handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

- **Department issuing SDS:** Product safety department
- **Contact:** Stephen Nowicki
- **Date of the latest revision of the safety data sheet** 05/12/2021 / -

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

CA