

Printing date 01/24/2022

Reviewed on 01/24/2022

#### **1** Identification

- · Product identifier: P301W-A
- · Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W WATER WASHABLE
- · Item number(s): P301W-A
- · SDS Number: 37
- · UPC bar code(s): 699913-10025
- $\cdot$  Application of the substance / the mixture <code>DYE</code> <code>PENETRANT</code>
- **Manufacturer/Supplier:** WWW.CANTESCO.COM

USA ADDRESS: KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224 PH (716) 558-2971

CANADIAN ADDRESS: ASTARAS CANADA, INC. 4-7075 EDWARDS BLVD MISSISSAUGA, ONTARIO, L5S 1Z2 PH (905) 624-5463

- **Information department:** Tel: (716) 558-2971 ext. 228 www.cantesco.com
- Emergency telephone number: ChemTrec (800) 424-9300 / 1-(703)-741-5970 Canada only: CANUTEC (Call collect) (613) 996-6666

## 2 Hazard identification

| GHS02 Flame                           |               |  |
|---------------------------------------|---------------|--|
| Flammable Aerosols - Category 1       |               | Extremely flammable aerosol. Pressurized container: ma<br>burst if heated. |
| GHS04 Gas cylinder                    |               |  |
| Gases Under Pressure - Compressed Gas | H280          | Contains gas under pressure; may explode if heated.                        |
| GHS08 Health hazard                   |               |  |
| Carcinogenicity – Category 2          | H351          | Suspected of causing cancer.   |
| Aspiration Hazard - Category 1        | H304          | May be fatal if swallowed and enters airways.                              |
| Label elements                        |               |  |
|                                       | ified and lab | eled according to the Globally Harmonized System (GHS)                     |
| Signal word: Danger                   |               | (Contd. on page  |

Printing date 01/24/2022

Reviewed on 01/24/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

|           | (Contd. of page 1)  |
|-----------|---|
| · Hazard- | determining components of labeling:   |
|           | naphtha (petroleum), heavy arom.  |
| ethylben  |   |
|           | statements:   |
| H222-H    | 229 Extremely flammable aerosol.  |
| H280      | Contains gas under pressure; may explode if heated.   |
| H351      | Suspected of causing cancer.  |
| H304      | May be fatal if swallowed and enters airways.   |
| · Precaut | ionary statements:  |
| P201      | Obtain special instructions before use.   |
| P202      | Do not handle until all safety precautions have been read and understood.                           |
| P210      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.      |
| P211      | Do not spray on an open flame or other ignition source.   |
| P251      | Do not pierce or burn, even after use.  |
| P280      | Wear protective gloves/protective clothing/eye protection/face protection.                          |
|           | 310 If swallowed: Immediately call a poison center/doctor.  |
| P331      | Do NOT induce vomiting.   |
| P308+P3   | 313 IF exposed or concerned: Get medical advice/attention.  |
| P403      | Store in a well-ventilated place.   |
| P405      | Store locked up.  |
|           | 412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.                    |
| P501      | Dispose of contents/container in accordance with local/regional/national/international regulations. |
|           | tion pertaining to particular dangers for man and environment:                                      |
| · NFPA r  | atings (scale 0 - 4):   |
|           |   |
| 4         | Health = 2  |
| 2         | $\bigcap$ Fire = 4  |

# **3** Composition/Information on ingredients

· Chemical characterization: Mixtures

Reactivity = 0

• Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous                       | · Dangerous components:                                       |               |  |
|-----------------------------------|---|---------------|--|
| 64742-94-5                        | Solvent naphtha (petroleum), heavy arom.                      | 40-70% w/w *  |  |
| 74-98-6                           | propane   | 10-30% w/w *  |  |
| 106-97-8                          | butane  | ≤10% w/w      |  |
| 75-28-5                           | isobutane   | ≤10% w/w      |  |
| 68412-54-4                        | Polyoxyethylene (9) nonylphenylether, branched                | 1-5% w/w *    |  |
| 100-41-4 ethylbenzene 0.1-≤1% w/w |   | 0.1-≤1% w/w * |  |
| * Actual cor                      | * Actual concentration ranges are withheld as a trade secret. |               |  |

## 4 First-aid measures

#### · After inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/ physician if you feel unwell.

(Contd. on page 3)

<sup>-</sup> CA -

Printing date 01/24/2022

**Trade name:** CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

· After skin contact:

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If eye irritation persists get medical advice/attention.

- After swallowing: Do not induce vomiting, Immediately call a poison center/ doctor.
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- <sup>•</sup> Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

## **5** Fire-fighting measures

- <u>Suitable extinguishing agents:</u> CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture: No further relevant information available.
- Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- · <u>Reference to other sections:</u>
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

#### · Handling

- · Precautions for safe handling:
- Ensure precautions are taken to eliminate potential sources of ignition during use. It is recommended to use static grounding and bonding equipment to eliminate static problems. Additionally, these products should never be applied on or near live circuits or energized equipment.
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Information about protection against explosions and fires:
   Do not spray on a naked flame or any incandescent material.
   Keep ignition sources away Do not smoke.
   Protect against electrostatic charges.
   Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights.
   Do not pierce or burn, even after use.

(Contd. on page 4)

(Contd. of page 2)

<sup>•</sup> ĆA •

Printing date 01/24/2022

Reviewed on 01/24/2022

## Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

(Contd. of page 3)

| Storage   |
|---|
| Requirements to be met by storerooms and receptacles:         |
| Store in a cool location.                                     |
| Observe official regulations on storing packagings with press |

Observe official regulations on storing packagings with pressurized containers.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• **Specific end use(s):** No further relevant information available.

## 8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see item 7.

| Components with limit values that require monitoring at the workplace: |   |  |
|--|---|--|
| 74-98-6 prop   |   |  |
| EL (Canada)  | Long-term value: 1000 ppm   |  |
| EV (Canada)  | Long-term value: 1,000 ppm  |  |
| PEL (USA)  | Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm  |  |
| REL (USA)  | Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm  |  |
| TLV (USA)  | refer to Appendix F inTLVs&BEIs book; NIC-EX  |  |
| 106-97-8 butane  |   |  |
|  | Short-term value: 750 ppm<br>Long-term value: 600 ppm   |  |
| EV (Canada)  | Long-term value: 800 ppm  |  |
| REL (USA)  | Long-term value: 1900 mg/m <sup>3</sup> , 800 ppm   |  |
| TLV (USA)  | Short-term value: (2370) mg/m <sup>3</sup> , (1000) ppm<br>NIC-EX                                     |  |
| 75-28-5 isobu  | tane  |  |
| EV (Canada)  | Long-term value: 800 ppm  |  |
| TLV (USA)  | Short-term value: (2370) mg/m <sup>3</sup> , (1000) ppm<br>NIC-EX                                     |  |
| 100-41-4 ethy  | lbenzene  |  |
| EL (Canada)  | Long-term value: 20 ppm<br>IARC 2B  |  |
| EV (Canada)  | Short-term value: 540 mg/m <sup>3</sup> , 125 ppm<br>Long-term value: 435 mg/m <sup>3</sup> , 100 ppm |  |
| PEL (USA)  | Long-term value: 435 mg/m <sup>3</sup> , 100 ppm  |  |
| REL (USA)  | Short-term value: 545 mg/m <sup>3</sup> , 125 ppm<br>Long-term value: 435 mg/m <sup>3</sup> , 100 ppm |  |
| TLV (USA)  | Long-term value: 87 mg/m <sup>3</sup> , 20 ppm<br>BEI   |  |
|  | (Contd. on page   |  |

Printing date 01/24/2022

Reviewed on 01/24/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

|              | (Contd. of page 4)   |
|--------------|--|
| ·Ingredien   | ts with biological limit values:   |
| 100-41-4 e   | thylbenzene  |
| BEI (USA     | ) 0.7 g/g creatinine   |
|              | Medium: urine  |
|              | Time: end of shift at end of workweek  |
|              | Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)    |
|              | _  |
|              | Medium: end-exhaled air  |
|              | Time: not critical   |
|              | Parameter: Ethyl benzene (semi-quantitative)   |
| · Additiona  | <b>I information:</b> The lists that were valid during the creation were used as basis.      |
|              | protective equipment   |
| · General p  | rotective and hygienic measures:   |
| Keep away    | / from foodstuffs, beverages and feed.   |
| Wash hand    | Is before breaks and at the end of work.   |
| · Breathing  | equipment: Use suitable respiratory protective device in case of insufficient ventilation.   |
| · Protection |  |
|              | material has to be impermeable and resistant to the product/ the substance/ the preparation. |
| · Material o |  |
| Butyl rubb   |  |
| Nitrile rub  | ber, NBR   |
| · Eye prote  | ction:   |
|              | Tightly sealed goggles   |

# 9 Physical and chemical properties

| · Form:  | Liquid Under Pressure  |
|--|--|
| · Color:   | Dark red   |
| · Odor:  | Aromatic   |
| · Odor threshold:  | Not determined.  |
| · pH-value:  | Not determined.  |
| <ul> <li><u>Change in condition</u></li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul> | Undetermined.<br>132 °C  |
| <sup>•</sup> <u>Flash point:</u>   | <-18 °C  |
| · Flammability (solid, gaseous):   | Extremely flammable liquefied gas.   |
| <b>Ignition temperature:</b>   | 365 °C   |
| • Decomposition temperature:   | Not determined.  |
| Auto igniting:   | Product is not selfigniting.   |
| · Danger of explosion:   | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
|  | (Contd. on page 6)   |

Printing date 01/24/2022

Reviewed on 01/24/2022

#### Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

|                                      |                                   | (Contd. of page 5 |
|--------------------------------------|-----------------------------------|-------------------|
| · Explosion limits                   |                                   |                   |
| Lower:                               | 1.5 Vol %                         |                   |
| Upper:                               | 10.9 Vol %                        |                   |
| · Vapor pressure at 20 °C:           | 8300 hPa                          |                   |
| · Density at 20 °C:                  | 0.777 g/cm <sup>3</sup>           |                   |
| Relative density:                    | Not determined.                   |                   |
| · Vapor density at 20 °C:            | >1 (AIR=1)                        |                   |
| · Evaporation rate:                  | Not applicable.                   |                   |
| · Solubility in / Miscibility with   |                                   |                   |
| Water:                               | Not miscible or difficult to mix. |                   |
| · Partition coefficient (n-octanol/w | vater): Not determined.           |                   |
| · Viscosity:                         |                                   |                   |
| Dynamic:                             | Not determined.                   |                   |
| Kinematic:                           | Not determined.                   |                   |
| · Solvent content:                   |                                   |                   |
| VOC content:                         | 51.0 %                            |                   |
|                                      | 396.3 g/l / 3.31 lb/gl            |                   |
| · Other information                  | % Volatile by volume: 93.0%       |                   |

#### **10 Stability and reactivity**

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• **Possibility of hazardous reactions:** No dangerous reactions known.

• Conditions to avoid: No further relevant information available.

- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects:
- Acute toxicity
- · Primary irritant effect
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

100-41-4 ethylbenzene

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

2B

Printing date 01/24/2022

Reviewed on 01/24/2022

#### Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

(Contd. of page 6)

#### **12 Ecological information**

- · Aquatic toxicity: No further relevant information available.
- **<u>Persistence and degradability:</u>** No further relevant information available.
- · Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Other adverse effects: No further relevant information available.

### **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings
- Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

| · UN-Number                          |                     |  |
|--------------------------------------|---------------------|--|
| · DOT/TDG, ADR, IMDG, IATA           | UN1950              |  |
| <sup>·</sup> UN proper shipping name |                     |  |
| · DOT/TDG                            | Aerosols, flammable |  |
| · ADR                                | 1950 Aerosols       |  |
| · IMDG                               | AEROSOLS            |  |
| ·IATA                                | AEROSOLS, flammable |  |
| · DOT/TDG (Transport dangerous good  | 3).                 |  |
| · Class<br>· Label                   | 2.1 Gases<br>2.1    |  |
| · Class                              | 2.1 Gases           |  |

CA -

Printing date 01/24/2022

Reviewed on 01/24/2022

## Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

|  | (Contd. of page   |
|--|---|
| Label                                      | 2.1   |
| IMDG, IATA                                 |   |
|  |   |
|  |   |
|  |   |
| $\mathbf{\vee}$                            |   |
| Class                                      | 2.1 Gases   |
| Label                                      | 2.1   |
| Packing group                              |   |
| DOT/TDG, ADR, IMDG, IATA                   | Not regulated   |
| Environmental hazards:                     |   |
| Marine pollutant:                          | No  |
| Special precautions for user:              | Warning: Gases  |
| Hazard identification number (Kemler code) |   |
| EMS Number:                                | F-D,S-U   |
| Stowage Code                               | SW1 Protected from sources of heat.   |
|  | SW22 For AEROSOLS with a maximum capacity of 1 litr                                 |
|  | Category A. For AEROSOLS with a capacity above 1 litr                               |
|  | Category B. For WASTE AEROSOLS: Category C, Clear                                   |
|  | living quarters.  |
| Segregation Code                           | SG69 For AEROSOLS with a maximum capacity of 1 litre:                               |
|  | Segregation as for class 9. Stow "separated from" class 1 exce<br>for division 1.4. |
|  | For AEROSOLS with a capacity above 1 litre:   |
|  | Segregation as for the appropriate subdivision of class 2.                          |
|  | For WASTE AEROSOLS:   |
|  | Segregation as for the appropriate subdivision of class 2.                          |
| Transport in bulk according to Annex II of |   |
| MARPOL73/78 and the IBC Code:              | Not applicable.   |
| Transport/Additional information:          |   |
| DOT/TDG                                    |   |
| Quantity limitations                       | On passenger aircraft/rail: 75 kg   |
| Quantity militations                       | On cargo aircraft only: 150 kg  |
| Remarks:                                   | This product may be shipped according to the Limited Quanti                         |
|  | Exceptions provided that all Limited Quantity shippin                               |
|  | requirements are met.   |
| ADR  | This product may be shipped according to the Limited Quanti                         |
|  | Exceptions provided that all Limited Quantity shippin                               |
|  | requirements are met.   |
| Excepted quantities (EQ)                   | Code: E0  |
|  | Not permitted as Excepted Quantity  |
| IMDG                                       |   |
|  | 1L  |
| Limited quantities (LQ)                    |   |
|  | Code: E0  |
| Limited quantities (LQ)                    | Code: E0<br>Not permitted as Excepted Quantity                                      |

Printing date 01/24/2022

Reviewed on 01/24/2022

#### Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

|                          | (Contd. of page 8)   |
|--------------------------|--|
| · Remarks:               | This product may be shipped according to the Limited Quantity<br>Exceptions provided that all Limited Quantity shipping<br>requirements are met. |
| · IATA<br>· Remarks:     | This product may be shipped according to the Limited Quantity<br>Exceptions provided that all Limited Quantity shipping<br>requirements are met. |
| · UN "Model Regulation": | UN 1950 AEROSOLS, 2.1  |

#### **15 Regulatory information**

• <u>Safety, health and environmental regulations/legislation specific for the substance or mixture</u> No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

100-41-4 ethylbenzene

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

· Proposition 65

· Chemicals known to cause cancer:

100-41-4 ethylbenzene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Canadian substance listings

· Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%):

100-41-4 ethylbenzene

· Canadian Ingredient Disclosure list (limit 1%):

106-97-8 butane

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

(Contd. on page 10)

<sup>•</sup> CA

Printing date 01/24/2022

Reviewed on 01/24/2022

Trade name: CANTESCO® VISIBLE DYE PENETRANT P301W – WATER WASHABLE

(Contd. of page 9)

· Hazard-determining components of labeling:

Solvent naphtha (petroleum), heavy arom.

ethylbenzene

#### · Hazard statements

- H222-H229 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated.
- H351 Suspected of causing cancer.
- H304 May be fatal if swallowed and enters airways.

#### **16 Other information**

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

- · Department issuing SDS: Product safety department
- · Contact: Stephen Nowicki
- · Date of the latest revision of the safety data sheet 01/24/2022 / -
- · Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- VOC: Volatile Organic Compounds (USA, EU)