

Printing date 01/24/2022 Reviewed on 01/24/2022

### 1 Identification

· Product identifier: D2000-A

· Trade name: CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

· Item number(s): D2000-A

· SDS Number: 44

· **UPC** bar code(s): 699913-11105

· Application of the substance / the mixture DEVELOPER

· Manufacturer/Supplier: WWW.CANTESCO.COM

USA ADDRESS:

KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224

PH (716) 558-2971

**CANADIAN ADDRESS:** 

ASTARAS CANADA, INC.

4-7075 EDWARDS BLVD

MISSISSAUGA, ONTARIO, L5S 1Z2

PH (905) 624-5463

· Information department:

Tel: (716) 558-2971 ext. 228

www.cantesco.com

· Emergency telephone number:

ChemTrec (800) 424-9300 / 1-(703)-741-5970

Canada only: CANUTEC (Call collect) (613) 996-6666

### 2 Hazard identification

· Classification of the substance or mixture:



GHS02 Flame

Flammable Aerosols - Category 1 H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.



GHS04 Gas cylinder

H280 Gases Under Pressure - Compressed Gas Contains gas under pressure; may explode

if heated.



Carcinogenicity – Category 2 H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Single Exposure -H370 Causes damage to the central nervous

system and the visual organs. Category 1

(Contd. on page 2)

Printing date 01/24/2022 Reviewed on 01/24/2022

#### Trade name: CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

(Contd. of page 1)



Eye Irritation - Category 2A

H319

Causes serious eye irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Signal word: Danger

#### · Hazard-determining components of labeling:

ethanol methanol

4-methylpentan-2-one

#### · Hazard statements:

H222-H229 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H370 Causes damage to the central nervous system and the visual organs.

#### · Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

# · Information pertaining to particular dangers for man and environment:

· NFPA ratings (scale 0 - 4):



Health = 1Fire = 4Reactivity = 0

### 3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 01/24/2022 Reviewed on 01/24/2022

#### Trade name: CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

(Contd. of page 2)

|             |                      | (            |
|-------------|----------------------|--------------|
| · Dangerous | s components:        |              |
| 64-17-5     | ethanol              | 30-60% w/w * |
| 74-98-6     | propane              | 10-30% w/w * |
| 106-97-8    | outane               | 10-30% w/w * |
| 75-28-5 i   | sobutane             | 5-10% w/w *  |
| 67-56-1 1   | methanol             | ≥3-<5% w/w * |
| 108-10-1    | 4-methylpentan-2-one | 0.1-1% w/w * |
|             |                      |              |

<sup>\*</sup> Actual concentration ranges are withheld as a trade secret.

# 4 First-aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

- · After swallowing: Do not induce vomiting, Immediately call a poison center/ doctor.
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

# 5 Fire-fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Protective equipment: No special measures required.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

CΔ.

Printing date 01/24/2022 Reviewed on 01/24/2022

#### Trade name: CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

(Contd. of page 3)

# 7 Handling and storage

#### · Handling

#### · Precautions for safe handling:

Ensure precautions are taken to eliminate potential sources of ignition during use. It is recommended to use static grounding and bonding equipment to eliminate static problems. Additionally, these products should never be applied on or near live circuits or energized equipment.

Open and handle receptacle with care.

## · Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights.

Do not pierce or burn, even after use.

#### ·Storage

# · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s): No further relevant information available.

# 8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see item 7.

| Components   | with limit values that require monitoring at the workplace: |
|--------------|---|
| 64-17-5 etha | nol   |
| EL (Canada)  | Short-term value: 1000 ppm                                  |
| EV (Canada)  | Long-term value: 1,900 mg/m³, 1,000 ppm                     |
| PEL (USA)    | Long-term value: 1900 mg/m³, 1000 ppm                       |
| REL (USA)    | Long-term value: 1900 mg/m³, 1000 ppm                       |
| TLV (USA)    | Short-term value: 1880 mg/m³, 1000 ppm                      |
| 74-98-6 prop | ane   |
| EL (Canada)  | Simple asphyxiant; EX                                       |
| EV (Canada)  | Long-term value: 1,000 ppm                                  |
|              | revoked as of 01/01/18                                      |
| PEL (USA)    | Long-term value: 1800 mg/m³, 1000 ppm                       |
| REL (USA)    | Long-term value: 1800 mg/m³, 1000 ppm                       |
| TLV (USA)    | refer to Appendix F inTLVs&BEIs book; D, EX                 |
| 106-97-8 but | ane   |
| EL (Canada)  | Short-term value: 1000 ppm                                  |
|              | EX  |
| EV (Canada)  | Long-term value: 800 ppm                                    |
|              | revoked as of 01/01/18                                      |

(Contd. on page 5)

Printing date 01/24/2022 Reviewed on 01/24/2022

**Trade name:** CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

| REL (USA)    | Long-term value: 1900 mg/m³, 800 ppm (Contd. of p  |
|--------------|--|
| TLV (USA)    | Short-term value: 2370 mg/m³, 1000 ppm   |
| ILV (USA)    | (EX)   |
| 75-28-5 isob | utane  |
| EL (Canada)  | Short-term value: 1000 ppm<br>EX   |
| EV (Canada)  | Long-term value: 800 ppm revoked as of 01/01/18  |
| TLV (USA)    | Short-term value: 2370 mg/m³, 1000 ppm (EX)  |
| 67-56-1 metl | nanol  |
| EL (Canada)  | Short-term value: 250 ppm<br>Long-term value: 200 ppm<br>Skin                            |
| EV (Canada)  | Short-term value: 325 mg/m³, 250 ppm<br>Long-term value: 260 mg/m³, 200 ppm<br>Skin      |
| PEL (USA)    | Long-term value: 260 mg/m³, 200 ppm  |
| REL (USA)    | Short-term value: 325 mg/m³, 250 ppm<br>Long-term value: 260 mg/m³, 200 ppm<br>Skin      |
| TLV (USA)    | Short-term value: 328 mg/m³, 250 ppm<br>Long-term value: 262 mg/m³, 200 ppm<br>Skin; BEI |
| 108-10-1 4-n | nethylpentan-2-one   |
| EL (Canada)  | Short-term value: 75 ppm<br>Long-term value: 20 ppm<br>IARC 2B                           |
| EV (Canada)  | Short-term value: 75 ppm<br>Long-term value: 205 mg/m³, 50 ppm                           |
| PEL (USA)    | Long-term value: 410 mg/m³, 100 ppm  |
| REL (USA)    | Short-term value: 300 mg/m³, 75 ppm<br>Long-term value: 205 mg/m³, 50 ppm                |
| TLV (USA)    | Short-term value: 307 mg/m³, 75 ppm<br>Long-term value: 82 mg/m³, 20 ppm<br>BEI          |
| 0            | with biological limit values:  |
| 67-56-1 metl |  |
| BEI (USA)    |  |
|              | Medium: urine<br>Fime: end of shift  |
|              | Parameter: Methanol (background, nonspecific)  |
|              | nethylpentan-2-one   |
| BEI (USA)    | • •  |
|              | Medium: urine  |
|              | Time: end of shift   |
| []           | Parameter: MIBK  |

Printing date 01/24/2022 Reviewed on 01/24/2022

# Trade name: CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

(Contd. of page 5)

- · Personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves: Butyl rubber, BR Nitrile rubber, NBR

· Eye protection:



Tightly sealed goggles

| Form:                               | Suspension   |
|-------------------------------------|--|
| · Color:                            | White  |
| · Odor:                             | Paint-like   |
| Odor threshold:                     | Not determined.  |
| · pH-value:                         | Not determined.  |
| · Change in condition               |  |
| Melting point/Melting range:        | Undetermined.  |
| <b>Boiling point/Boiling range:</b> | 78 °C  |
| · Flash point:                      | 13 °C  |
| · Flammability (solid, gaseous):    | Extremely flammable liquefied gas.   |
| · Ignition temperature:             | 425 °C   |
| · Decomposition temperature:        | Not determined.  |
| · Auto igniting:                    | Product is not selfigniting.   |
| Danger of explosion:                | Product is not explosive. However, formation of explosive air/vap mixtures are possible. |
| · Explosion limits                  |  |
| Lower:                              | 3.5 Vol %  |
| Upper:                              | 15 Vol %   |
| · Vapor pressure at 20 °C:          | 59 hPa   |
| · Density:                          | Not determined.  |
| Relative density:                   | Not determined.  |
| · Vapor density:                    | Not determined.  |
| · Evaporation rate:                 | Not applicable.  |
| · Solubility in / Miscibility with  |  |
| Water:                              | Not miscible or difficult to mix.  |

(Contd. on page 7)

Printing date 01/24/2022 Reviewed on 01/24/2022

Trade name: CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

|   | (Contd. of page                            | e 6) |
|---|--|------|
| · <u>Viscosity:</u> Dynamic: Kinematic: | Not determined. Not determined.            |      |
| · Solvent content:<br>VOC content:      | 100.00 %<br>1,358.5 g/l / 11.34 lb/gal     |      |
| Other information                       | No further relevant information available. |      |

# 10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity

| · LD/LC50 values that are relevant for classification: |                  |                       |  |  |  |  |
|--|------------------|-----------------------|--|--|--|--|
| 67-56-1  | 67-56-1 methanol |                       |  |  |  |  |
| Oral   | LD50             | 5,628 mg/kg (rat)     |  |  |  |  |
| Dermal   | LD50             | 15,800 mg/kg (rabbit) |  |  |  |  |

- · Primary irritant effect
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

| · IARC (In | ternational Agency for Research on Cancer) |    |
|------------|--|----|
| 64-17-5    | ethanol                                    | 1  |
| 108-10-1   | 4-methylpentan-2-one                       | 2B |
| · NTP (Na  | tional Toxicology Program)                 |    |
| None of t  | ne ingredients is listed.                  |    |

# 12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.

(Contd. on page 8)

Printing date 01/24/2022 Reviewed on 01/24/2022

#### Trade name: CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

(Contd. of page 7)

- · Additional ecological information
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects: No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings
- · Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

# 14 Transport information

| T | IN    | [_] | N | 11 | m | h | er |
|---|-------|-----|---|----|---|---|----|
|   | , , , | -   |   |    |   | " |    |

· **DOT/TDG, ADR, IMDG, IATA** UN1950

· UN proper shipping name

DOT/TDG Aerosols, flammable
 ADR 1950 AEROSOLS
 IMDG AEROSOLS

· IATA AEROSOLS, flammable

- · Transport hazard class(es)
- · DOT/TDG (Transport dangerous goods):



· Class 2.1 Gases · Label 2.1

· ADR



• Class 2 5F Gases • Label 2.1

· IMDG, IATA



· Class 2.1 Gases

(Contd. on page 9)

Printing date 01/24/2022 Reviewed on 01/24/2022

# **Trade name:** CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

|  | (Contd. of page  |
|--|--|
| Label  | 2.1  |
| Packing group<br>DOT/TDG, ADR, IMDG, IATA                          | Not regulated  |
| Environmental hazards: Marine pollutant:                           | No   |
| Special precautions for user:                                      | Warning: Gases   |
| Hazard identification number (Kemler                               |  |
| EMS Number:  | F-D,S-U  |
| Stowage Code   | SW1 Protected from sources of heat.  SW22 For AEROSOLS with a maximum capacity of 1 litro Category A. For AEROSOLS with a capacity above 1 litro Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.   |
| Segregation Code   | SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 exceptor division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code: | II of Not applicable.  |
| Transport/Additional information:                                  | 11   |
| DOT/TDG  |  |
| Quantity limitations  Remarks:                                     | On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.  |
| ADR  Excepted quantities (EQ)                                      | This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.  Code: E0   |
| Excepted quantities (EQ)   | Not permitted as Excepted Quantity   |
| IMDG   |  |
| Limited quantities (LQ) Excepted quantities (EQ)                   | 1L<br>Code: E0<br>Not permitted as Excepted Quantity   |
| Remarks:   | This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.   |
|  |  |
| IATA<br>Remarks:   | This product may be shipped according to the Limited Quantit Exceptions provided that all Limited Quantity shippin requirements are met.   |

Printing date 01/24/2022 Reviewed on 01/24/2022

Trade name: CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

(Contd. of page 9)

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

  No further relevant information available.
- · Sara

| · Section 355 | (extremely | hazardous | substances | ): |
|---------------|------------|-----------|------------|----|
|---------------|------------|-----------|------------|----|

None of the ingredients is listed.

### · Section 313 (Specific toxic chemical listings):

67-56-1 methanol

108-10-1 4-methylpentan-2-one

#### · TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

Proposition 65

#### · Chemicals known to cause cancer:

108-10-1 4-methylpentan-2-one

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

# Chemicals known to cause developmental toxicity:

67-56-1 methanol

108-10-1 4-methylpentan-2-one

## · Canadian substance listings

### · Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

#### · Canadian Ingredient Disclosure list (limit 0.1%):

64-17-5 ethanol

#### · Canadian Ingredient Disclosure list (limit 1%):

106-97-8 butane

67-56-1 methanol

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS07



GHS02 GHS04

· Signal word Danger

· Hazard-determining components of labeling:

ethanol

methanol

4-methylpentan-2-one

#### · Hazard statements

H222-H229 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

(Contd. on page 11)

Printing date 01/24/2022 Reviewed on 01/24/2022

## Trade name: CANTESCO® D2000-A DEVELOPER - NONAQUEOUS WET

(Contd. of page 10)

H351 Suspected of causing cancer.

H370 Causes damage to the central nervous system and the visual organs.

# 16 Other information

This SDS format meets ANSI Z400.1-2010, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2015 and ISO 14001:2015 registered company.

- · Department issuing SDS: Product safety department
- · Contact: Stephen Nowicki
- Date of the latest revision of the safety data sheet 01/24/2022 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

CA ·